

10. BIBLIOGRAFIA

10.1. CARACTERIZAÇÃO DA ATIVIDADE

General Technical Description for P- 51 Floating Production Unit – FPU.

PETROBRAS, 2002a. Memorial Descritivo Marlim Sul – Módulo 2. E&P/UN-RIO/ATP-MLS.

PETROBRAS, 2002b. Plano de Desenvolvimento (Revisão) - Campo de Marlim Sul E&P/UN-RIO/ATP-MLS.

10.2. AVALIAÇÃO DE IMPACTOS

APOLINÁRIO, M. 2002. Cracas invasoras no litoral brasileiro. *Ciência Hoje*, nº 188 - p 44.

ATHANASSOPOULOS, J.D.A.; DALTON, J.S.; FISCHER, A.P. 1999. Offshore oil platform decommissioning: a comparative study of strategies and the ecological, regulatory, political and economic issues involved in decommissioning planning. University of California, Santa Bárbara. 101 p.

BAX, N.J. 2001. Invasive species and biodiversity management. *J. Exp. Mar. Biol. Ecol.* 257: 317-319.

BISHOP, P.L. 1983. *Marine Pollution and its Control*. McGraw-Hill, Inc., New York, NY. 357 pp.

BOESCH, D.F., BURROUGHS, R.H., BAKER, J.E., MASON, R.P., ROWE, C.L., SIEFERT, R.L., 2001. The challenge of toxic contaminants. Chapter II – Marine pollution in the United States. Pew Oceans Commission. Disponível em: www.mindfully.org/Water/Marine-Pollution-US-PEW.htm. Acessado em junho de 2005.

CAIRNS, S.D. 2000. A revision of the shallow-water azooxanthellate Scleractinia of the Western Atlantic. *Stud. Nat. Hist. Caribb.* 75: 1-240.

CHEVRON Overseas Petroleum, 1997. Health, Safety and Environmental Guidelines: Pollution Prevention. Project HSE Information, MODEC. 109 pp.

CONESA FDEZ.-VÍTORO, V. 1997. Guia Metodologica para la evaluacion del impacto ambiental. Madrid, 1997, 3ª edição.

CRANFORD, P., QUERBACH, K., MAILLET, G., GRANT, J., TAGGART, C. and LEE, K., 1998. *Effects of produced water on early life stages of haddock, lobster and sea scallop*. Executive Summary.

DE PAULA, A.F. 2002. Abundância e distribuição espacial do coral invasor *Tubastraea* na Baía da Ilha Grande, RJ e o registro de *T. tagusensis* e *T. coccinea* para o Brasil. Dissertação de Mestrado – UERJ. 87 pp.

- DE PAULA, A.F. & CREED, J.C. 2004. Two species of the coral *Tubastraea* (Cnidaria, Scleractinia) in Brazil: A case of accidental introduction. *Bulletin of Marine Science* 74(1): 175-183.
- ECORIGS, 2003. In: <http://www.towersoflife.com/ecorigs/>
- ELDREDGE, L.G. & CARLTON, J.T. 2002. Hawaiian marine bioinvasions: A preliminary approach. *Pacific Science*, 56(2): 211-212.
- ENO, N.C. 1996. Non-native marine species in British water: effects and controls. *Aquat. Conserv. Mar. Fresh. Eco.* 6: 215-228.
- FARAH, P.M.C. 1993. Instrumentos metodológicos para avaliação do impacto ambiental de empreendimentos de geração hidrelétrica. Dissertação de Mestrado, PPE/COPPE/UFRJ, 256p.
- FENNER, D. 2001. Biogeography of three Caribbean corals (Scleractinia) and a rapid range expansion of *Tubastraea coccinea* into the Gulf of Mexico. *Bull. Mar. Sci.* 69: 1175-1189.
- FREY, R. 1998. Award-winning biocides are lean, mean and green. *Today's Chemist at work*, 7(6), 34-35, 37-38.
- GESAMP, 1993. *Impact of oil and related chemicals and wastes on the marine environment*. GESAMP Reports and Studies N° 50.
- GOLLASCH, S. 2002. The importance of ship hull fouling as a vector of species introductions into the North Sea. *Biofouling*, 18(2): 105-121.
- GOLLASCH, S. 2003. Fouling and Ships' Hulls: How Changing Circumstances and Spawning Events may Result in the spread of Exotic Species.
- GRAY, J.S.; CLARKE, K.R.; WARWICK, R.M.; HOBBS, G. 1990. Detection of initial effects of pollution on marine benthos: an example from the Ekofisk and Eldfisk oilfields, North Sea. *Marine Ecology Progress Series*, 66: 285-299.
- GROOMBRIDGE, B (ed.), 1992. Global Biodiversity. Statua of the Earth's Living Resources. London, Chapman & Hall. XVIII + 585p.
- GROSHOLZ, E.D. 2002. Ecological and evolutionary consequences of coastal invasions. *TREE* 17: 22-27.
- HUXEL, G.R. 1999. Rapid displacement of native species by invasive species: effects of hybridization. *Biological Conservation*, 89: 143-152.
- IMO – International Maritime Organization, 2002. Report of the 25th Meeting of the Scientific Group. Disponível em: <www.londonconvention.org/documents/meetings>. Acessado em junho de 2005.
- LAFFERTY, K.D. & KURIS, A.M. 1996. Biological control of marine pests. *Ecology*, 77: 1989-2000.
- LALLI, C.M. & PARSONS, T.R. 1993. Biological Oceanography: an Introduction. Pergamon Press, New York. 301 pp.
- LEAL NETO, A. C; JABLONSKI, S, Atividades do Programa Globallast no Brasil, 2ª, Rio de Janeiro, CTTMar/Univali, 2002, artigo, <http://www.gci.cttmar.univali.br/n2a2/12-globallast.pdf>

- McAuliffe, C.D., 1979 Oil and gas migration - chemical and physical constraints. AAPG Bull., 63, p.761-781
- MMA/IBAMA - Ministério do Meio Ambiente, 2002. Biodiversidade Brasileira – Avaliação e Identificação de Áreas e Ações Prioritárias para Conservação, Utilização Sustentável e Repartição de Benefícios da Biodiversidade Brasileira. Brasília – DF.404p.
- NEFF, J.M. 1987. *Offshore oil and gas development activities potentially causing long-term environmental effects*. p. 149-173, In: Long-term environmental effects of offshore oil and gas development, D. Boesch and N. Robalais (eds.). Elsevier Applied Science, London.
- NIBAKKEN, J. W. 1993. *Marine biology: An ecological approach*. Harper Collins College Publishers, third edition, 462p.
- PAGE, H.M.; Dugan, J.E.; Dugan, D.S.; Richards, J.B. & Hubbard, D.M., 1999. Effects of an offshore oil platform on the distribution and abundance of commercially important crab species. *Mar. Ecol. Prog. Ser.*, 185: 45-57.
- PASTAKIA, C. M. R.; JENSEN, A. 1998. The rapid impact assessment matrix (RIAM) for EIA. *Environmental Impact Assessment Review* 18:461-482.
- PATIN, S., 1999. *Factors of the offshore oil and gas industry's impact on the marine environment and fishing*. p. 53-117. In: Waste Discharges During the Offshore Oil and Gas Activity, S. Patin (ed.). EcoMonitor Publishing, New York.
- PETERSON, C.H.; Kennicutt II, M.C.; Green, R.H.; Montagna, P.; Harper, D.E.Jr.; Powell, E.N. & Roscigno, P.F., 1996. Ecological consequences of environmental perturbations associated with offshore hydrocarbon production: a perspective on long-term exposures in the Gulf of Mexico. *Can. J. Fish. Aquat. Sci.*, 53: 2637-2654.
- PETROBRAS, 2002b. *Programa de Monitoramento Ambiental da Área de Influência do Emissário de Cabiúnas, RJ – Relatório Final*.
- REID, S.M. & ANDERSON, P.G. 1999. Effects of sediment released during open-cut pipeline water crossings. *Canadian Water Resources Journal*, 24: 23-39.
- REISE, K. Gollash, S. & WOLF, W.J. 1999. Introduced marine species of the North Sea Coasts. *Helgol. Meeresunters*, 52: 219-234.
- RELATÓRIO FINAL DO E&P FORUM Relatório consolidado do Projeto de Monitoramento Ambiental da P-40 Campo de Marlim Sul/Bacia de Campos de dezembro de 2002.
- RELINI, G., TIXI, F., RELINI, M. TORCHIA, G., 1997. The macrofouling on offshore platforms at Ravenna. *International Biodeterioration & Biodegradation*, 41:41-55.
- REZAI, H.; IBRAHIM, H.M.; IDRIS, B.A.G. & KUSHAIRI, M.R.M. 1999. Some effects of submarine pipeline construction on the sessile zoobenthic community of Redang Island. *Hydrobiologia*, 405: 163-167.
- ROBERTS, J.M. 2003. The occurrence of *Lophelia pertusa* and other marine life around an oil production platform in the North Sea. In: <http://www.sams.ac.uk/dml/projects/benthic/lophns.htm>
- SANO, L.L., KRUEGER, A.M., LANDRUM, P.F. 2005. Chronic toxicity of glutaraldehyde: differential sensitivity of three freshwater organisms. *Aquatic Toxicology*, 71: 283-296.

- SILVA, M.H., FONTES, J., AFONSO, J., SERPA, N., SAZIMA, C., BARREIROS, J.P., SAZIMA, I., 2002. Plataformas de petróleo: Pontos de encontro de peixes em alto-mar. *Ciência Hoje*, 1(183): 20-26.
- SILVA, J.S.V. & SOUZA, R.C.C.L. 2004. *Água de Lastro e Bioinvasão*. Ed. Interciência, Rio de Janeiro. 224p.
- SOARES-GOMES, A., PAIVA, P.C., SUMIDA, P.Y.G., 2002. *Bentos de sedimentos não-consolidados*. In: *Biologia Marinha*, Pereira, R.C. & Soares-Gomes, A. (eds.), Editora Interciência, págs. 127-146.
- SPADOTTO, C.A., 2002. Classificação de Impacto Ambiental. Comitê de Meio Ambiente, Sociedade Brasileira da Ciência da Plantas Daninhas. [on line]. Disponível: <http://www.cnpma.embrapa.br/herbicidas/> [acessado em 05/06/2002].
- STACHOWITSCH, M; KIKINGER, R.; HERLER, J.; ZOLDA, P. & GEUTEBRÜCK, E. 2002. *Marine Pollution Bulletin* 44(9):853-860.
- STOKES, T. 2001. How invasive species become bullies. *TREE*, 6: 10.
- STRAMMA, L. & M. ENGLAND, 1999 On the water masses and mean circulation of the South Atlantic Ocean. *J. Geophys. Res.*, 104, 20863-20883
- TELLEZ, G.T., NIRMALAKHANDAN, N., GARDEA-TORRESDEY, J.L., 2002. Performance evaluation of an activated sludge system for removing petroleum hydrocarbons from oilfield produced water. *Advances in Environmental Research*, 6: 455-470.
- THOMAS, J.E.; Triggia, A. A.; Correia, C.A.; Verotti Filho, C.; Xavier, J.A.D.; Machado, J.C.V.; Paula, J.L.; De Rossi, N.C.M.; Pitombo, N.E.S.; Gouvea, P.C.V.M.; Carvalho, R.S. & Barragan, R.V., 2001. *Fundamentos de Engenharia de Petróleo*. Thomas, J.E. (eds.) Ed. Interciência. PETROBRAS / Rio de Janeiro, 79:271-276.
- TSUI, P.T.P. AND P.J. MCCART. 1981. "Effects of streamcrossing by a pipeline on the benthic macroinvertebrate communities of a small mountain stream," *Hydrobiologia*, 79:271-276.
- UKOOA, 1999. *United Kingdom Offshore Operators Association*, Environmental Report
- VILLENA, H.H., 1999. Estudo do Processo de Assoreamento da Enseada da Japuíba, Angra dos Reis, RJ. Dissertação de Mestrado do Programa de Pós-Graduação e Geofísica Marinha do LAGEMAR-UFF.
- WILLS, J. 2000. A survey of offshore oilfield drilling wastes and disposal techniques to reduce the ecological impact of sea dumping. In: www.offshore-environment.com/producedwaters.
- YOUNG, R.J. & MACKIE, G.L. 1991. Effect of oil pipeline construction on the benthic invertebrate community structure of Hodgson Creek, Northwest Territories. *Can. J. Zool.* 69: 2154-2160.
- ZALLEN, M., 1982. *Effects os pipeline construction of juveniles and incubating eggs of mountain whitefish (Prosopium williamsoni Girard) in The Moyie River, British Columbia*, in: 3rd Symposium on Environmental Concerns in Right-of-way Management., San Diego, California.

10.3. PLANOS E PROGRAMAS AMBIENTAIS

Projeto Monitoramento

CUPELO, A. C. G. 2000. *As frações do pico-, nano- e microplâncton da profundidade do máximo de clorofila da costa central do Brasil*. Dissertação de Mestrado, Instituto Oceanográfico da USP, 147p.